

Works Cited/Supporting Bibliography

History of Traumatic Stress Treatment

- Bloom, S. L. (2013). *Creating sanctuary: Toward the evolution of sane societies*. Routledge.
- Courtois, C. A., & Ford, J. D. (Eds.). (2009). *Treating complex traumatic stress disorders: An evidence-based guide*. Guilford Press.
- Foa, E. B., Keane, T. M., Friedman, M. J., & Cohen, J. A. (Eds.). (2008). *Effective treatments for PTSD: practice guidelines from the International Society for Traumatic Stress Studies*. Guilford Press.
- Herman, J. L. (1997). *Trauma and recovery: The aftermath of violence--from domestic abuse to political terror* (Vol. 551). Basic books.
- Trimble, M. R. (1985). Post-traumatic stress disorder: History of a concept. *Trauma and its wake*, 1, 5-14.
- Van der Kolk, B. A., & McFarlane, A. C. (Eds.). (2012). *Traumatic stress: The effects of overwhelming experience on mind, body, and society*. Guilford Press.
- Wolpe, J. (1954). Reciprocal inhibition as the main basis of psychotherapeutic effects. *AMA Archives of Neurology & Psychiatry*, 72(2), 205-226.

Active ingredients of Trauma Therapy/Empowerment & Resilience Structure

- American Psychiatric Association, & American Psychiatric Association. *Diagnostic and statistical manual of mental disorders* (1980) Washington. DC: Author.
- American Psychiatric Association. (2004). *Practice guidelines for the treatment of patients with acute stress disorder and posttraumatic stress disorder*. Arlington, VA:.
- Anker, M., Duncan, B., & Sparks, J. (2009). Using client feedback to improve couple therapy outcomes: A randomized clinical trial in a naturalistic setting. *Journal of Consulting and Clinical Psychology*, 77(4), 693.
- Arnow, B., Steidtmann, D., Blasey, C., Manber, R., Constantino, J., Klein, N., & Kocsis, J. H. (2013). The relationship between the therapeutic alliance and treatment outcome in two distinct psychotherapies for chronic depression. *Journal of Consulting and Clinical Psychology*, 81(4), 627.
- Australian Centre for Posttraumatic Mental Health. (2007). *Australian guidelines for the treatment of adults with acute stress disorder and posttraumatic stress disorder*. National Health and Medical Research Council.
- Baranowsky, AB & Gentry, JE (2015). *Trauma practice: Tools for stabilization & recovery*. Hogrefe & Huber: NY.
- Benish, S. G., Imel, Z. E., & Wampold, B. E. (2008). The relative efficacy of bona fide psychotherapies for treating post-traumatic stress disorder: A meta-analysis of direct comparisons. *Clinical Psychology Review*, 28(5), 746–758.
- Benson, H. (1997). The relaxation response: therapeutic effect. *Science*, 278(5344), 1694. Bercelli, D. (2009). *The revolutionary trauma release process: Transcend your toughest times*. Namaste: Vancouver, BC

- Berceci, D. (2007). *Evaluating the effects of stress reduction exercises* (Doctoral dissertation, Arizona State University).
- Bisson, J., & Andrew, M. (2009). Psychological treatment of post-traumatic stress disorder. *The Cochrane Library*, 3, 1–118.
- Bisson, J. I., Ehlers, A., Matthews, R., Pilling, S., Richards, D., & Turner, S. (2007). Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis. *The British Journal of Psychiatry*, 190(2), 97–104.
- Bloom, S. L. (1997). *Creating sanctuary: Toward the evolution of sane societies*. New York, NY: Routledge.
- Bonner, R. L., & Rich, A. (1988). Negative life stress, social problem-solving self-appraisal, and hopelessness: Implications for suicide research. *Cognitive Therapy and Research*, 12(6), 549–556.
- Boudewyns, P. A., & Hyer, L. (1990). Physiological response to combat memories and preliminary treatment outcome in Vietnam veteran PTSD patients treated with direct therapeutic exposure. *Behavior Therapy*, 21(1), 63–87.
- Briere, J., & Scott, C. (2012). *Principles of trauma therapy: A guide to symptoms, evaluation, and treatment* (2nd ed.). Thousand Oaks, CA: Sage.
- Bremner, J. D., Narayan, M., Anderson, E. R., Staib, L. H., Miller, H. L., & Charney, D. S. (2000). Hippocampal volume reduction in major depression. *American Journal of Psychiatry*, 157(1), 115–118.
- Breslau, N., & Kessler, R. C. (2001). The stressor criterion in DSM-IV posttraumatic stress disorder: an empirical investigation. *Biological psychiatry*, 50(9), 699–704.
- Cahill, S. P., Rothbaum, B. O., Resick, P. A., & Follette, V. M. (2009). Cognitive-behavioral therapy for adults. In E. B. Foa, T. M. Keane, M. J. Friedman, & J. A. Cohen (Eds.), *Effective treatments for PTSD: Practice guides from the International Society for Traumatic Stress Disorders* (2nd ed., pp. 617–639). New York, NY: Guilford Press.
- Campbell, H., Hotchkiss, R., Bradshaw, N., & Porteous, M. (1998). Integrated care pathways. *British Medical Journal*, 316(7125), 133–137.
- Carbonell, J. L., & Figley, C. (1999). Running head: Promising PTSD Treatment Approaches A Systematic Clinical Demonstration of Promising PTSD Treatment Approaches. *Traumatology*, 5(1), 32–48.
- Carbonell, J., & Figley, C. (1996). A systematic clinical demonstration methodology: A collaboration between practitioners and clinical researchers. *Traumatology*, 2(1), 1–6.
- Carbonell, J., & Figley, C. (1999). Promising PTSD treatment approaches: A systematic clinical demonstration of promising PTSD treatment approaches. *Traumatology*, 5(1), 32–48.
- Cloitre, M., Courtois, C. A., Charuvastra, A., Carapezza, R., Stolbach, B. C., & Green, B. L. (2011). Treatment of complex PTSD: Results of the ISTSS expert clinician survey on best practices. *Journal of Traumatic Stress*, 24(6), 615–627.

- Cloitre, M., Courtois, C. A., Ford, J. D., Green, B. L., Alexander, P., Briere, J., . . . Van der Hart, O. (2012). *The ISTSS expert consensus treatment guidelines for complex PTSD in adults*. Retrieved from http://www.istss.org/AM/Template.cfm?Section=ISTSS_Complex_PTSD_Treatment_Guidelines&Template=%2FCM%2FContentDisplay.cfm&ContentID=518
- Cox, C.L. (1992). Perceived threat as a cognitive component of state anxiety and confidence. *Perception and Motor Skills*, 75(3:2), 1092-1094.
- Critchley, H. D., Melmed, R. N., Featherstone, E., Mathias, C. J., & Dolan, R. J. (2001). Brain activity during biofeedback relaxation A functional neuroimaging investigation. *Brain*, 124(5), 1003-1012.
- Crowder, J. A., Taylor, J.M., & Raskin, V. (2012, July). Autonomous creation and detection of procedural memory scripts. In *Proceedings of the 13th annual international conference on artificial intelligence, Las Vegas*.
- Csikszentmihalyi, M. (1997). *Finding flow: The psychology of engagement with everyday life*. Basic Books.
- De Champlain, J., Karas, M., Toal, C., Nadeau, R., & Larochelle, P. (1999). Effects of antihypertensive therapies on the sympathetic nervous system. *The Canadian journal of cardiology*, 15, 8A-14A.
- Diamond, D. M., Campbell, A. M., Park, C.R., Halonen, J., & Zoladz, P.R. (2007). The temporal dynamics model of emotional memory processing: a synthesis on the neurobiological basis of stress-induced amnesia, flashbulb and traumatic memories, and the Yerkes-Dodson law. *Neural plasticity*, 2007.
- Doublet, S. (2000). *The stress myth*. Chesterfield, MO: Science & Humanities Press.
- Dovan, M. L. (2013). *Examining the Effects of Anxiety on Running Efficiency in a Cognitive- motor Dual-task* (Doctoral dissertation, Concordia University).
- Duncan, B., & Miller, S. (2000). *The heroic client: Doing client-directed, outcome-informed therapy*. San Francisco, CA: Jossey-Bass.
- Duncan, B., Miller, S., & Sparks, J. (2004). *The heroic client: A revolutionary way to improve effectiveness through client-directed, outcome-informed therapy*. New York, NY: John Wiley & Sons.
- Duncan, B. L., Miller, S. D., Wampold, B. E., & Hubble, M. A. (2010). *The heart and soul of change: Delivering what works in therapy*. Washington, DC: American Psychological Association.
- Eysenck, H. J. (1952). The effects of psychotherapy: An evaluation. *Journal of Consulting Psychology*, 16(5), 319.
- Falconer, E., Bryant, R., Felmingham, K. L., Kemp, A. H., Gordon, E., Peduto, A., ... & Williams, L. M. (2008). The neural networks of inhibitory control in posttraumatic stress disorder. *Journal of psychiatry & neuroscience: JPN*, 33(5), 413.
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., . . . Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine*, 14(4), 245–258.

- Figley, C., & Carbonell, J. (1995). *The 'active ingredient' project: The systematic clinical demonstration of the most efficient treatments of PTSD, a research plan*. Tallahassee, FL: Florida State University Psychosocial Stress Research Program and Clinical Laboratory.
- Foa, E., Hembree, E., & Rothbaum, B. O. (2007). *Prolonged exposure therapy for PTSD: Emotional processing of traumatic experiences therapist guide*. Oxford University Press.
- Foa, E. B., Keane, T. M., Friedman, M. J., & Cohen, J. A. (Eds.). (2008). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies*. New York, NY: Guilford Press.
- Follette, V. M., Ruzek, J. I., & Abueg, F. R. (1998). A contextual analysis of trauma: Theoretical considerations. *Cognitive-behavioral therapies for trauma*, 3-12.
- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., . . . Ursano, R. J. (2010). A guide to guidelines for the treatment of PTSD and related conditions. *Journal of Traumatic Stress*, 23(5), 537–552.
- Ford, J. D. (2005). Treatment implications of altered neurobiology, affect regulation and information processing following child maltreatment. *Psychiatric Annals*, 35, 410–419.
- Ford, J. D., & Blaustein, M. E. (2013). Systemic self-regulation: A framework for trauma-informed services in residential juvenile justice programs. *Journal of Family Violence*, 28(7), 665–677.
- Ford, J. D., & Russo, E. (2006). Trauma Adaptive Recovery Group Education and Therapy (TARGET). *American Journal of Psychotherapy*, 60(4), 335–355.
- French, G. & Harris, C. (1998). *Traumatic incident reduction (TIR)*. CRC Press: Boca Raton, FL.
- Friis, A. M., & Sollers, J. J. (2013). Yoga Improves Autonomic Control in Males A Preliminary Study Into the Heart of an Ancient Practice. *Journal of Evidence-Based Complementary & Alternative Medicine*, 18(3), 176-182.
- Gallo, F. P. (1996). Reflections on active ingredients in efficient treatments of PTSD, Part 2. *Traumatology*, 2(2), 9-14.
- Gentry, J.E. (2002). Compassion fatigue: A crucible of transformation. *Journal of Trauma Practice*, 1(3-4), 37-61.
- Gentry, JE, Baranowsky, AB & Rhoton, R. (2017 – in press). Trauma competency: An active ingredients approach to treating PTSD. *Journal of Counseling & Development*.
- George, M.S., Sackeim, H.A., Rush, A.J., Marangell, L.B., Nahas, Z., Husain, M.M., Lisanby, S., Burt, T., Goldman, J. & Ballenger, J.C. (2000). Vagus nerve stimulation: a new tool for brain research and therapy. *Biological Psychiatry*, 47 (4), 287-295.
- Goldberg, E. (2001). *The executive brain: Frontal lobes and the civilized mind*. Oxford Press: New York.
- Hamarat, D., Thompson, K., Zabucky, D., Matheny, K., FerdaAysan, E. (2001). Perceived stress and coping resource availability as predictors of life satisfaction in young, middle-aged, and older adults. *Experimental Aging Research*, 27(2), 181-196.

- Heim, C., Ehlert, U., Hanker, J.P., & Hellhammer, D. H. (1998). Abuse-related posttraumatic stress disorder and alterations of the hypothalamic-pituitary-adrenal axis in women with chronic pelvic pain. *Psychosomatic Medicine*, 60(3), 309-318.
- Hoffman, J. W., Benson, H., Arns, P.A., Stainbrook, G. L., Landsberg, G. L., Young, J.B., & Gill, A. (1982). Reduced sympathetic nervous system responsivity associated with the relaxation response. *Science*, 215(4529), 190-192.
- Holbrook, T. L., Hoyt, D. B., Stein, M. B., & Sieber, W. J. (2001). Perceived threat to life predicts posttraumatic stress disorder after major trauma: risk factors and functional outcome. *Journal of Trauma-Injury, Infection, and Critical Care*, 51(2), 287-293.
- Holland, J. C., Morrow, G. R., Schmale, A., Derogatis, L., Stefanek, M., Berenson, S., ... & Feldstein, M. (1991). A randomized clinical trial of alprazolam versus progressive muscle relaxation in cancer patients with anxiety and depressive symptoms. *Journal of Clinical Oncology*, 9(6), 1004-1011.
- Ironson, G., Freund, B., Strauss, J. L., & Williams, J. (2002). Comparison of two treatments for traumatic stress: A community-based study of EMDR and prolonged exposure. *Journal of clinical psychology*, 58(1), 113-128.
- Jacobson, E. (1938). *Progressive relaxation*. Chicago: University of Chicago Press
- Jamison, J. (1999). Stress: the chiropractic patients' self-perceptions. *Journal of manipulative and physiological therapeutics*, 22(6), 395-398.
- Kabat-Zinn, J., & Hanh, T. N. (2009). *Full catastrophe living: Using the wisdom of your body and mind to face stress, pain, and illness*. Random House LLC.
- Karver, M., Handelsman, J., Fields, S., & Bickman, L. (2006). Meta-analysis of therapeutic relationship variables in youth and family therapy: The evidence for different relationship variables in the child and adolescent treatment outcome literature. *Clinical Psychology Review*, 26, 50-65.
- Katz, C. L., & Yehuda, R. (2006). Neurobiology of trauma. *Psychological effects of catastrophic disasters: Group approaches to treatment*, 61-81.
- Kegel, A.H. (1951). Physiologic therapy for urinary stress incontinence. *Journal of the American Medical Association*, 146 (10), 915-917.
- Kinsella, S.M., & Tuckey, J.P. (2001). Perioperative bradycardia and asystole: relationship to vasovagal syncope and the Bezold-Jarisch reflex. *British Journal of Anaesthesia*, 86 (6), 859- 868.
- Krost, B. (2007). Understanding and releasing the psoas muscle. Retrieved from www.naturalreflexes.com/pages.
- Lim, S.H., Anantharaman, V., Goh, P.P. & Tan, A.T. (1998). Comparison of treatment of supraventricular tachycardia by Valsalva maneuver and carotid sinus massage. *Annals of Emergency Medicine*, 31 (1), 30-35.
- McCann, I. L., & Pearlman, L.A. (1990). Vicarious traumatization: A framework for understanding the psychological effects of working with victims. *Journal of traumatic stress*, 3(1), 131-149.

- McNaughton, N. (1997). Cognitive dysfunction resulting from hippocampal hyperactivity-A possible cause of anxiety disorder? *Pharmacology Biochemistry and Behavior*, 56 (4), 603-611.
- Management of Post-Traumatic Stress Working Group. (2010). *VA/DoD clinical practice guideline: Management of post-traumatic stress guideline summary*. Washington, DC: Veterans Health Administration, Department of Defense.
- Mandie, C.L., Jacobs, S.C., Acari, P.M., Damar, A.D. (1998). The efficacy of relaxation response interventions with adult patients: A review of the literature. In (Ed. C.E. Guzzetta) *Essential readings in holistic nursing*. Aspen: New York.
- Meichenbaum, D. (2012). *Roadmap to resilience: A guide for military, trauma victims and their families*. Institute Press.
- Meichenbaum, D. (1994). *A clinical handbook/practical therapist manual for assessing and treating adults with post-traumatic stress disorder (PTSD)*. Institute Press.
- Miller, S. (2014). Top performance blog. Retrieved from <http://www.scottdmiller.com/blog>.
- Miller, S. D., Hubble, M.A., Chow, D. L., & Seidel, J. A. (2013). The outcome of psychotherapy: Yesterday, today, and tomorrow. *Psychotherapy*, 50(1), 88-9.
- National Association of Cognitive-Behavioral Therapists. (2014). *CBT: What is cognitive-behavioral therapy?* Retrieved from <http://nacbt.org/whatiscbt.aspx>
- Perry, B. D., & Szalavitz, M. (2007). *The Boy Who Was Raised as a Dog: And Other Stories fi-oma Child Psychiatrist's Notebook- What Traumatized Children Can Teach Us about Loss, Love and Healing*. Basic Books.
- Pole, N. (2007). The psychophysiology of posttraumatic stress disorder: A meta-analysis. *Psychological Bulletin*, 133(5), 724-746.
- Porges, S. (2014). Attachment, Neuropeptides, and Autonomic Regulation: A Vagal Shift Hypothesis. *Neurobiology and Treatment of Traumatic Dissociation: Towards an Embodied Self*, 105.
- Porges, S. W. (2007). The polyvagal perspective. *Biological psychology*, 74(2), 116-143.
- Porges, S.W. (1992). Vagal tone: a physiologic marker of stress vulnerability. *Pediatrics*, 90(3), 498-504.
- Powers, M. B., Halpern, J. M., Ferenschak, M. P., Gillihan, S. J., & Foa, E. B. (2010). A meta-analytic review of prolonged exposure for posttraumatic stress disorder. *Clinical Psychology Review*, 30(6), 635-641.
- Rauch, S. A., Eftekhari, A., & Ruzek, J. I. (2012). Review of exposure therapy: A gold standard for PTSD treatment. *Journal of rehabilitation research and development*, 49(5), 679-688.
- Resick, P.A., & Schnicke, M. K. (1992). Cognitive processing therapy for sexual assault victims. *Journal of consulting and clinical psychology*, 60(5), 748.
- Resick, P. A., Monson, C. M., & Chard, K. M. (2008). *Cognitive processing therapy: Veteran/military version*. Washington, DC: Department of Veterans Affairs.

- Rogers, C. R. (1966). *Client-centered therapy*. Washington, DC: American Psychological Association.
- Rothschild, B. (2000). The body remembers. *The Psychophysiology of Trauma and Trauma treatment*. New York: WW Norton and Company.
- Roy, M. J., Costanzo, M. E., Blair, J. R., & Rizzo, A. A. (2013). Compelling evidence that exposure therapy for PTSD normalizes brain function. *Studies in Health Technology and Informatics*, 199, 61–65.
- Sadigh, M. R., & Montero, R. P. (2013). *Autogenic training: a mind-body approach to the treatment of fibromyalgia and chronic pain syndrome*. CRC Press.
- Shah, L., Klainin-Yobas, P., Torres, S., & Kannusamy, P. (2014). Efficacy of psychoeducation and relaxation interventions on stress-related variables in people with mental disorders: A literature review. *Archives of Psychiatric Nursing*, 28(2), 94–101.
- Sapolsky, R. M. (1996). Why stress is bad for your brain. *Science*, 273(5276), 749-750.
- Scaer, R. C. (2005). *The trauma spectrum: Hidden wounds and human resiliency*. WW Norton & Company.
- Schiraldi, G. (2009). *The post-traumatic stress disorder sourcebook: A guide to healing, recovery, and growth*. McGraw Hill Professional
- Schnurr, P. P., Lunney, C. A., & Sengupta, A. (2004). Risk factors for the development versus maintenance of posttraumatic stress disorder. *Journal of Traumatic Stress*, 17(2), 85-95.
- Shalev, A. Y., Bonne, O., & Eth, S. (1996). Treatment of posttraumatic stress disorder: a review. *Psychosomatic medicine*, 58(2), 165-182.
- Shusterman, V., & Bamea, O. (2005). Sympathetic nervous system activity in stress and biofeedback relaxation. *Engineering in Medicine and Biology Magazine, IEEE*, 24(2), 52-57.
- Shapiro, F., & Solomon, R. M. (1995). *Eye movement desensitization and reprocessing*. John Wiley & Sons, Inc.
- Sikirov, B.A. (1990). Cardio-vascular events at defecation: are they unavoidable? *Medical Hypothesis*, 32 (3), 231-233.
- Spilsbury, J. C., Belliston, L., Drotar, D., Drinkard, A., Kretschmar, J., Creeden, R., ... & Friedman, S. (2007). Clinically significant trauma symptoms and behavioral problems in a community-based sample of children exposed to domestic violence. *Journal of Family Violence*, 22(6), 487-499.
- Staugaard-Jones, J. A. (2012). *The vital psoas muscle: Connecting physical, emotional, and spiritual well-being*. North Atlantic Books.
- Stoppelbein, L.A., Greening, L., & Elkin, T.D. (2006). Risk of posttraumatic stress symptoms: A comparison of child survivors of pediatric cancer and parental bereavement. *Journal of pediatric psychology*, 31(4), 367-376.
- Strupp, H. (2013). The outcome problem in psychotherapy revisited. *Psychotherapy*, 50(1), 3–11.
- Substance Abuse and Mental Health Services Administration. (2014, October 14). *Trauma-informed approach and trauma-specific interventions*. Retrieved from <http://www.samhsa.gov/nctic/trauma-interventions>

- Takahashi, T., Ikeda, K., Ishikawa, M., Kitamura, N., Tsukasaki, T., Nakama, D. & Kameda, T. (2005). Anxiety, reactivity, and social stress-induced cortisol elevation in humans. *Neuroendocrinology Letters*, 4 (26), 351-354.
- Taylor, A.H. (2012). *Assessing the Effects of Stress Resilience Training on Visual Discrimination Skills: Implications/or Perceptual Resilience in US War fighters* (Doctoral dissertation, Virginia Commonwealth University Richmond, Virginia).
- Van der Hart, O., & Brown, P. (1992). Abreaction re-evaluated. *Dissociation*, 5(3), 127.
- van der Kolk, B. A. (1996). The complexity of adaptation to trauma: Self-regulation, stimulus discrimination, and characterological development. In B. A. van der Kolk, A. C. McFarlane, & L. Weisaeth (Eds.), *Traumatic stress: The effects of overwhelming experience on mind, body, and society* (pp. 182-213). New York, NY: Guilford Press.
- US Dept. of Veteran Affairs: National Center for PTSD, (2014) *Overview of the VA/DoD 2010 clinical practice guideline for PTSD*. Retrieved June 2014 from [http://www.ptsd.va.gov/professional/continuing cd/cpg overview.asp](http://www.ptsd.va.gov/professional/continuing%20education/cpg%20overview.asp)
- Van der Kolk, B. A. (1996). *The complexity of adaptation to trauma: Self-regulation, stimulus discrimination, and characterological development*. Guilford Press.
- Wampold, B. E. (2005). Establishing specificity in psychotherapy scientifically: Design and evidence issues. *Clinical Psychology: Science and Practice*, 12(2), 194–197.
- Wampold, B., Imel, Z., Laska, K., Benish, S., Miller, S., Flückiger, C., . . . Budge, S. (2010). Determining what works in the treatment of PTSD. *Clinical Psychology Review*, 30(8), 923–933.
- Waxman, M.B., Wald, R.W., Finley, J.P., Bonet, J.F., Downar, E., & Sharma, A.D. (1980). Valsalva termination of ventricular tachycardia. *Circulation*, 62, 843-851.
- Wolpe, J. (1954). Reciprocal inhibition as the main basis of psychotherapeutic effects. *AMA Archives of Neurology & Psychiatry*, 72(2), 205–226.
- Wolpe, J. (1961). The systematic desensitization treatment of neuroses. *The Journal of Nervous and Mental Disease*, 132(3), 189–203.
- Wolpe, J. (1968). Psychotherapy by reciprocal inhibition. *Conditional Reflex: A Pavlovian Journal of Research & Therapy*, 3(4), 234–240.
- Yartz, A.R. & Hawk, A.W. (2001) Psychophysiological assessment of anxiety: Tales from the heart. In (Eds. M. Antony, S. Orsillo & L. Roemer) *Practitioner's guide to empirically based measures of anxiety*. Springer: New York.
- Yeomans, P., Forman, E., Herbert, J., & Yuen, E. (2010). A randomized trial of a reconciliation workshop with and without PTSD psychoeducation in Burundian sample. *Journal of Traumatic Stress*, 23(3), 305–312.

Assessing Traumatic Stress

- Baranowsky, A., & Gentry, J. E. (2014). *Trauma practice: Tools for stabilization and recovery*. Hogrefe Publishing.
- Bovin, M. J., Marx, B. P., Weathers, F. W., Gallagher, M. W., Rodriguez, P., Schnurr, P. P., & Keane, T. M. (2016). Psychometric properties of the PTSD Checklist for Diagnostic and Statistical Manual of Mental Disorders–Fifth Edition (PCL-5) in veterans. *Psychological Assessment*, 28(11), 1379.

- Bovin, M. J., & Weathers, F. W. (2012). Assessing PTSD symptoms. *Oxford library of psychology. The Oxford handbook of traumatic stress disorders*, 235-249.
- Breslau, N., Kessler, R., & Peterson, E. L. (1998). Post-traumatic stress disorder assessment with a structured interview: reliability and concordance with a standardized clinical interview. *International Journal of Methods in Psychiatric Research*, 7(3), 121-127.
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., . . . Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The Adverse Childhood Experiences (ACE) Study. *American Journal of Preventive Medicine*, 14(4), 245–258.
- Flarity, K., Gentry, J. E., & Mesnikoff, N. (2013). The effectiveness of an educational program on preventing and treating compassion fatigue in emergency nurses. *Advanced emergency nursing journal*, 35(3), 247-258.
- Friedman, M. J., Kilpatrick, D. G., Schnurr, P. P., & Weathers, F. W. (2016). Correcting misconceptions about the diagnostic criteria for posttraumatic stress disorder in DSM-5. *JAMA psychiatry*, 73(7), 753-754.
- Gentry, J.E. (1999). Trauma recovery scale. Paper presented at ISTSS Annual Meeting in Miami, FL.
- Larkin, H., Felitti, V. J., & Anda, R. F. (2014). Social work and adverse childhood experiences research: Implications for practice and health policy. *Social work in public health*, 29(1), 1-16.
- Murphy, A., Steele, H., Steele, M., Allman, B., Kastner, T., & Dube, S. R. (2016). The Clinical Adverse Childhood Experiences (ACEs) Questionnaire: Implications for Trauma-Informed Behavioral Healthcare. In *Integrated Early Childhood Behavioral Health in Primary Care* (pp. 7-16). Springer International Publishing.
- Reuben, A., Moffitt, T. E., Caspi, A., Belsky, D. W., Harrington, H., Schroeder, F., ... & Danese, A. (2016). Lest we forget: comparing retrospective and prospective assessments of adverse childhood experiences in the prediction of adult health. *Journal of Child Psychology and Psychiatry*, 57(10), 1103-1112.
- Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2014). The PTSD checklist for DSM-5 (PCL-5). 2013. *Scale available from the National Center for PTSD: <http://www.ptsd.va.gov>*.
- Weathers, F. W., Blake, D. D., Schnurr, P. P., Kaloupek, D. G., Marx, B. P., & Keane, T. M. (2016). The Clinician-Administered PTSD Scale for DSM-5 (CAPS-5). 2013. *Interview available from the National Center for PTSD at www.ptsd.va.gov*.
- Weathers, F. W., & Beaudreau, S. A. (2014). Assessment and Diagnosis of PTSD in Adults. In *Assessment and Diagnosis of PTSD in Adults: A Comprehensive Psychological Approach* William F. Flack Jr. Brett T. Litz. *Simple and Complex Post-Traumatic Stress Disorder: Strategies for Comprehensive Treatment in Clinical Practice*, 9.
- Wilson, J. P., & Keane, T. M. (Eds.). (2004). *Assessing psychological trauma and PTSD*. Guilford press.

Stage 1: Preparation & Relationship-Building

- Anker, M., Duncan, B., & Sparks, J. (2009). Using client feedback to improve couple therapy outcomes: A randomized clinical trial in a naturalistic setting. *Journal of Consulting and Clinical Psychology, 77*(4), 693.
- Arnow, B., Steidtmann, D., Blasey, C., Manber, R., Constantino, J., Klein, N., & Kocsis, J. H. (2013). The relationship between the therapeutic alliance and treatment outcome in two distinct psychotherapies for chronic depression. *Journal of Consulting and Clinical Psychology, 81*(4), 627.
- Australian Centre for Posttraumatic Mental Health. (2007). *Australian guidelines for the treatment of adults with acute stress disorder and posttraumatic stress disorder*. National Health and Medical Research Council.
- Baranowsky, AB & Gentry, JE (2015). *Trauma practice: Tools for stabilization & recovery*. Hogrefe & Huber: NY.
- Benish, S. G., Imel, Z. E., & Wampold, B. E. (2008). The relative efficacy of bona fide psychotherapies for treating post-traumatic stress disorder: A meta-analysis of direct comparisons. *Clinical Psychology Review, 28*(5), 746–758.
- Briere, J., & Scott, C. (2012). *Principles of trauma therapy: A guide to symptoms, evaluation, and treatment* (2nd ed.). Thousand Oaks, CA: Sage.
- Campbell, H., Hotchkiss, R., Bradshaw, N., & Porteous, M. (1998). Integrated care pathways. *British Medical Journal, 316*(7125), 133–137.
- Connors, G. J., DiClemente, C. C., Dermen, K. H., Kadden, R., Carrol, K. M., & Fronne, M. R. (2000). Predicting the therapeutic alliance in alcoholism treatment. *Journal of Studies on Alcohol, 61*(1), 139.
- Duncan, B., & Miller, S. (2000). *The heroic client: Doing client-directed, outcome-informed therapy*. San Francisco, CA: Jossey-Bass.
- Duncan, B., Miller, S., & Sparks, J. (2004). *The heroic client: A revolutionary way to improve effectiveness through client-directed, outcome-informed therapy*. New York, NY: John Wiley & Sons.
- Duncan, B. L., Miller, S. D., Wampold, B. E., & Hubble, M. A. (2010). *The heart and soul of change: Delivering what works in therapy*. Washington, DC: American Psychological Association.
- Eysenck, H. J. (1952). The effects of psychotherapy: An evaluation. *Journal of Consulting Psychology, 16*(5), 319.
- Fife, S. T., Whiting, J. B., Bradford, K., & Davis, S. (2014). The therapeutic pyramid: A common factors synthesis of techniques, alliance, and way of being. *Journal of Marital & Family Therapy, 40*(1), 20–33.
- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., Ursano, R. J. (2010). A guide to guidelines for the treatment of PTSD and related conditions. *Journal of Traumatic Stress, 23*(5), 537–552.
- Frankl, V. (1959). *Man's search for meaning*. Boston, MA: Beacon Press
- Friedman, M. J., Schnurr, P. P., & McDonagh-Coyle, A. (1994). Post-traumatic stress disorder in the military veteran. *Psychiatric Clinics of North America, 17*(2), 265-278.
- Gallo, F. P. (1996). Reflections on active ingredients in efficient treatments of PTSD, Part 2. *Traumatology, 2*(2), 9–14.
- Garner, B. R., Godley, S. H., & Funk, R. R. (2008). Predictors of early therapeutic alliance

among adolescents in substance abuse treatment. *Journal of Psychoactive Drugs*, 40(1), 55+

- Hamner, M. B., Brodrick, P. S., & Labbate, L. A. (2001). Gabapentin in PTSD: A Retrospective, Clinical Series of Adjunctive Therapy. *Annals of Clinical Psychiatry*, 13(3), 141-146.
- Hartman, D., & Zimberoff, D. (2004). Corrective emotional experience in the therapeutic process. *Journal of Heart Centered Therapies*, 7(2)
- Henderson, S. (2015). On Persuasion and Healing: A Comparative Study of Psychotherapy (1961), by Jerome D. Frank—reflection. *The British Journal of Psychiatry*, 206(1), 38-38.
- Hofmann, S. G., & Smits, J. A. (2008). Cognitive-behavioral therapy for adult anxiety disorders: a meta-analysis of randomized placebo-controlled trials. *The Journal of clinical psychiatry*, 69(4), 621.
- Hubble, M. A., Duncan, B., & Miller, S. (1999). *The heart and soul of change*. Washington, DC: American Psychological Association.
- Irving, L. M., Telfer, L., & Blake, D. D. (1997). Hope, coping, and social support in combat-related posttraumatic stress disorder. *Journal of Traumatic Stress*, 10(3), 465-479.
- Knerr, E., Bartle-Haring, S., McDowell, T., Adkins, K., Delaney, R. O., Gangamma, R., Meyer, K. (2011). The impact of initial factors on therapeutic alliance in individual and couples therapy. *Journal of Marital and Family Therapy*, 37(2), 182–199.
- Miller, S., Hubble, M., Chow, D., & Seidel, J. (2013). The outcome of psychotherapy: Yesterday, today, and tomorrow. *Psychotherapy*, 50(1), 88–97.
- Miller, S. D., Hubble, M. A., Chow, D., & Seidel, J. (2015). Beyond measures and monitoring: Realizing the potential of feedback-informed treatment. *Psychotherapy*, 52(4), 449.
- Prescott, D. S., & Miller, S. D. (2015). Improving outcomes one client at a time: Feedback-informed treatment with adults who have sexually abused. *The sex offender*, 8.
- Randall, C. L., & McNeil, D. W. (2016). Motivational interviewing as an adjunct to cognitive behavior therapy for anxiety disorders: A critical review of the literature. *Cognitive and Behavioral Practice*.
- Rogers, C. R. (1966). *Client-centered therapy*. Washington, DC: American Psychological Association.
- Seidel, J. (2012). Using feedback-informed treatment (FIT) to build a premium-service, private-pay practice. *Getting Better at Private Practice*, 6, 279.
- Sherman, J. J. (1998). Effects of psychotherapeutic treatments for PTSD: a meta-analysis of controlled clinical trials. *Journal of traumatic stress*, 11(3), 413-435.
- Substance Abuse and Mental Health Services Administration. (2014, October 14). *Trauma-informed approach and trauma-specific interventions*. Retrieved from <http://www.samhsa.gov/nctic/trauma-interventions>

Stage 2: Psychoeducation & Skills-Building

- Adenauer, H., Catani, C., Gola, H., Keil, J., Ruf, M., Schauer, M., & Neuner, F. (2011). Narrative exposure therapy for PTSD increases top-down processing of aversive stimuli-evidence from a randomized controlled treatment trial. *BMC Neuroscience*, *12*(1), 127.
- Australian Centre for Posttraumatic Mental Health. (2007). *Australian guidelines for the treatment of adults with acute stress disorder and posttraumatic stress disorder*. National Health and Medical Research Council.
- Baranowsky, AB & Gentry, JE (2015). *Trauma practice: Tools for stabilization & recovery*. Hogrefe & Huber: NY
- Beck, J. G., McNiff, J., Clapp, J. D., Olsen, S. A., Avery, M. L., & Hagedwood, J. H. (2011). Exploring negative emotion in women experiencing intimate partner violence: Shame, guilt, and PTSD. *Behavior Therapy*, *42*(4), 740–750.
- Briere, J., & Scott, C. (2012). *Principles of trauma therapy: A guide to symptoms, evaluation, and treatment* (2nd ed.). Thousand Oaks, CA: Sage.
- Brown, W. J., Dewey, D., Bunnell, B. E., Boyd, S. J., Wilkerson, A. K., Mitchell, M. A., & Bruce, S. E. (2016). A Critical Review of Negative Affect and the Application of CBT for PTSD. *Trauma, Violence, & Abuse*, 1524838016650188.
- Cahill, S. P., Rothbaum, B. O., Resick, P. A., & Follette, V. M. (2009). Cognitive-behavioral therapy for adults. In E. B. Foa, T. M. Keane, M. J. Friedman, & J. A. Cohen (Eds.), *Effective treatments for PTSD: Practice guides from the International Society for Traumatic Stress Disorders* (2nd ed., pp. 617–639). New York, NY: Guilford Press.
- Cloitre, M., Courtois, C. A., Charuvastra, A., Carapezza, R., Stolbach, B. C., & Green, B. L. (2011). Treatment of complex PTSD: Results of the ISTSS expert clinician survey on best practices. *Journal of Traumatic Stress*, *24*(6), 615–627.
- Corrigan, F. M. (2002). Mindfulness, dissociation, EMDR and the anterior cingulate cortex: A hypothesis. *Contemporary Hypnosis*, *19*, 8–17.
- Curran, L. A. (2009). *Trauma competency: A clinician's guide*. PESI Publishing & Media.
- Findings from University of Saarland Yields New Findings on Behavior Research (Explaining the relationship between personality and coping with professional demands: Where and why do optimism, self-regulation, and self-efficacy matter). (2016, October 1). *Obesity, Fitness & Wellness Week*, 391.
- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., . . . Ursano, R. J. (2010). A guide to guidelines for the treatment of PTSD and related conditions. *Journal of Traumatic Stress*, *23*(5), 537–552.
- Ford, J. D. (2005). Treatment implications of altered neurobiology, affect regulation and information processing following child maltreatment. *Psychiatric Annals*, *35*, 410–419.
- Ford, J. D., & Blaustein, M. E. (2013). Systemic self-regulation: A framework for trauma-informed services in residential juvenile justice programs. *Journal of Family Violence*, *28*(7), 665–677.
- Ford, J. D., Courtois, C., Van der Hart, O., Nijenhuis, E., & Steele, K. (2005). Treatment of complex post-traumatic self dysregulation. *Journal of Traumatic Stress*, *18*, 467–477.
- Ford, J. D., & Russo, E. (2006). Trauma Adaptive Recovery Group Education and Therapy (TARGET). *American Journal of Psychotherapy*, *60*(4), 335–355.
- French, G. D., & Harris, C. J. (1998). *Traumatic incident reduction (TIR)*. Crc Press.

- Schiraldi, G. (2009). *The post-traumatic stress disorder sourcebook: A guide to healing, recovery, and growth*. McGraw Hill Professional.
- Gramzow, R. H., Sedikides, C., Panter, A. T., & Insko, C. A. (2000). Aspects of Self-Regulation and Self-Structure as Predictors of Perceived Emotional Distress. *Personality & Social Psychology Bulletin*, 26(2), 188+
- Gottschling, J., Hahn, E., Maas, H., & Spinath, F. M. (2016). Explaining the relationship between personality and coping with professional demands: Where and why do optimism, self-regulation, and self-efficacy matter? *Personality and Individual Differences*, 100, 49+
- Hannibal, K. E., & Bishop, M. D. (2014). Chronic stress, cortisol dysfunction, and pain: a psychoneuroendocrine rationale for stress management in pain rehabilitation. *Physical therapy*, 94(12), 1816.
- Hardy, A., Emsley, R., Freeman, D., Bebbington, P., Garety, P. A., Kuipers, E. E., ... & Fowler, D. (2016). Psychological mechanisms mediating effects between trauma and psychotic symptoms: the role of affect regulation, intrusive trauma memory, beliefs, and depression. *Schizophrenia bulletin*, 42(suppl 1), S34-S43.
- Hu, M. X., Lamers, F., de Geus, E. J., & Penninx, B. W. (2016). Differential autonomic nervous system reactivity in depression and anxiety during stress depending on type of stressor. *Psychosomatic medicine*, 78(5), 562-572.
- Huang, H. H., & Kashubeck-West, S. (2015). Exposure, agency, perceived threat, and guilt as predictors of posttraumatic stress disorder in veterans. *Journal of Counseling & Development*, 93(1), 3-13.
- Jongh, A., Resick, P. A., Zoellner, L. A., Minnen, A., Lee, C. W., Monson, C. M., ... & Rauch, S. A. (2016). Critical analysis of the current treatment guidelines for complex PTSD in adults. *Depression and anxiety*.
- Kelly, S. P., Scharf, M. R., Westfall, S. C., & Pate, M. F. D. (2010). I'm more than my physiology: adolescent trauma patient in the pediatric intensive care unit. *Critical Care Nurse*, 30(1), S14+.
- Kirsch, I., Capafons, A., Cardeña, E., & Amigó, S. (1998). *Clinical hypnosis and self-regulation therapy: A cognitive-behavioral perspective*. Washington, DC: American Psychological Association.
- Lenz, A. S., & Lancaster, C. (2017). A mixed-methods evaluation of intensive trauma-focused programming. *Journal of Counseling and Development*, 95(1)
- Metcalf, O., Varker, T., Forbes, D., Phelps, A., Dell, L., DiBattista, A., ... & O'Donnell, M. (2016). Efficacy of fifteen emerging interventions for the treatment of posttraumatic stress disorder: a systematic review. *Journal of traumatic stress*, 29(1), 88-92.
- Miller, L. E. (2014). Perceived threat in childhood: A review of research and implications for children living in violent households. *Trauma, Violence, & Abuse*. Advance online publication. doi: 10.1177/1524838013517563
- Naidoo, N., & Muckart, D. J. J. (2015). The wrong and wounding road: pediatric polytrauma admitted to a level 1 trauma intensive care unit over a 5-year period. *South African Medical Journal*, 105(10), 823
- Najavits, L. (2002). *Seeking safety*. New York, NY: Guilford Press.

- Pearlman, L. A., & Courtois, C. A. (2005). Clinical applications of the attachment framework: Relational treatment of complex trauma. *Journal of Traumatic Stress, 18*, 449-459.
- Porges, S. (1995). Orienting in a defensive world: Mammalian modifications of our evolutionary heritage. A polyvagal theory. *Psychophysiology, 32*(4), 301–318.
- Porges, S. (2007). The polyvagal perspective. *Biological Psychology, 74*(2), 116–143.
- Porges, S. (2014). The polyvagal theory: Demystifying the link between social behavior and health. *Applied Psychophysiology and Biofeedback, 39*(2), 141.
- Robinaugh, D. J., & McNally, R. J. (2010). Autobiographical memory for shame or guilt provoking events: Association with psychological symptoms. *Behaviour Research and Therapy, 48*(7), 646–652.
- Research Conducted at University of Mississippi Has Updated Our Knowledge about Obesity. (2014, April 26). Obesity, Fitness & Wellness Week, 124. Retrieved from <http://go.galegroup.com.ezproxy.mesalibrary.org/ps/i.do?p=AONE&sw=w&u=mesa86532&v=2.1&it=r&id=GALE%7CA366902714&asid=1ab14c229ecbe06a0f5381a1dfe5e231>
- Palmisano, G. L., Innamorati, M., & Vanderlinden, J. (2016). Life adverse experiences in relation with obesity and binge eating disorder: A systematic review. *Journal of Behavioral Addictions, 5*(1)
- Sapolsky, R. M. (2004). *Why zebras don't get ulcers: The acclaimed guide to stress, stress-related diseases, and coping-now revised and updated*. Macmillan.
- Schiraldi, G. (2009). *The post-traumatic stress disorder sourcebook: A guide to healing, recovery, and growth*. McGraw Hill Professional.
- Shah, L., Klainin-Yobas, P., Torres, S., & Kannusamy, P. (2014). Efficacy of psychoeducation and relaxation interventions on stress-related variables in people with mental disorders: A literature review. *Archives of Psychiatric Nursing, 28*(2), 94–101.
- Study Data from Brigham Young University Update Understanding of Child and Adolescent Development (Family Financial Stress and Adolescent Sexual Risk-Taking: The Role of Self-Regulation). (2017, February 25). Obesity, Fitness & Wellness Week, 787. Retrieved from <http://go.galegroup.com.ezproxy.mesalibrary.org/ps/i.do?>
- Van der Kolk, Bessel A. *The body keeps the score: Brain, mind, and body in the healing of trauma*. Penguin Books, 2015.
- Valentine, P. V., & Smith, T. E. (2001). Evaluating traumatic incident reduction therapy with female inmates: A randomized controlled clinical trial. *Research on Social Work Practice, 11*(1), 40-52.
- Vogt, R. (2012). What disgust means for complex traumatized / dissociative patients: a pilot study from an outpatient practice. *International Body Psychotherapy Journal, 11*(1)
- Vohs, K. D., Baumeister, R. F., & Ciarocco, N. J. (2005). Self-regulation and self-presentation: regulatory resource depletion impairs impression management and effortful self-presentation depletes regulatory resources. *Journal of Personality and Social Psychology, 88*(4), 632+

Stage 3: Integration & Desensitization

- Adenauer, H., Catani, C., Gola, H., Keil, J., Ruf, M., Schauer, M., & Neuner, F. (2011). Narrative exposure therapy for PTSD increases top-down processing of aversive stimuli-evidence from a randomized controlled treatment trial. *BMC Neuroscience*, *12*(1), 127.
- Alvarez, J., McLean, C., Harris, A. H., Rosen, C. S., Ruzek, J. I., & Kimerling, R. (2011). The comparative effectiveness of cognitive processing therapy for male veterans treated in a VHA posttraumatic stress disorder residential rehabilitation program. *Journal of Consulting and Clinical Psychology*, *79*(5), 590.
- American Psychiatric Association. (2004). Practice guidelines for the treatment of patients with acute stress disorder and posttraumatic stress disorder. Arlington, VA: American Psychiatric Association.
- Australian Centre for Posttraumatic Mental Health. (2007). *Australian guidelines for the treatment of adults with acute stress disorder and posttraumatic stress disorder*. National Health and Medical Research Council.
- Baranowsky, AB & Gentry, JE (2015). *Trauma practice: Tools for stabilization & recovery*. Hogrefe & Huber: NY
- Benedek, D. M., & Wynn, G. H. (Eds.). (2016). *Complementary and Alternative Medicine for PTSD*. Oxford University Press.
- Benish, S. G., Imel, Z. E., & Wampold, B. E. (2008). The relative efficacy of bona fide psychotherapies for treating post-traumatic stress disorder: A meta-analysis of direct comparisons. *Clinical Psychology Review*, *28*(5), 746–758.
- Berceci, D. (2005). *Trauma releasing exercises (TRE): A revolutionary new method for stress/trauma recovery*. BookSurge.
- Bisson, J., & Andrew, M. (2009). Psychological treatment of post-traumatic stress disorder. *The Cochrane Library*, *3*, 1–118.
- Bisson, J. I., Ehlers, A., Matthews, R., Pilling, S., Richards, D., & Turner, S. (2007). Psychological treatments for chronic post-traumatic stress disorder: Systematic review and meta-analysis. *The British Journal of Psychiatry*, *190*(2), 97–104.
- Bloom, S. L. (1997). *Creating sanctuary: Toward the evolution of sane societies*. New York, NY: Routledge.
- Boudewyns, P. A., & Hyer, L. (1990). Physiological response to combat memories and preliminary treatment outcome in Vietnam veteran PTSD patients treated with direct therapeutic exposure. *Behavior Therapy*, *21*(1), 63–87.
- Briere, J., & Scott, C. (2012). *Principles of trauma therapy: A guide to symptoms, evaluation, and treatment* (2nd ed.). Thousand Oaks, CA: Sage.
- Cahill, S. P., Rothbaum, B. O., Resick, P. A., & Follette, V. M. (2009). Cognitive-behavioral therapy for adults. In E. B. Foa, T. M. Keane, M. J. Friedman, & J. A. Cohen (Eds.), *Effective treatments for PTSD: Practice guides from the International Society for Traumatic Stress Disorders* (2nd ed., pp. 617–639). New York, NY: Guilford Press.
- Chemtob, C. M., Nakashima, J., & Carlson, J. G. (2002). Brief treatment for elementary school children with disaster-related posttraumatic stress disorder: a field study. *Journal of Clinical Psychology*, *58*(1), 99+
- Cohen, J. A., Mannarino, A. P., & Deblinger, E. (2016). *Treating trauma and traumatic grief in children and adolescents*. Guilford Publications.

- Cloitre, M., Courtois, C. A., Charuvastra, A., Carapezza, R., Stolbach, B. C., & Green, B. L. (2011). Treatment of complex PTSD: Results of the ISTSS expert clinician survey on best practices. *Journal of Traumatic Stress, 24*(6), 615–627.
- Cloitre, M., Courtois, C. A., Ford, J. D., Green, B. L., Alexander, P., Briere, J., . . . Van der Hart, O. (2012). *The ISTSS expert consensus treatment guidelines for complex PTSD in adults*. Retrieved from http://www.istss.org/AM/Template.cfm?Section=ISTSS_Complex_PTSD_Treatment_Guidelines&Template=%2FCM%2FContentDisplay.cfm&ContentID=5185
- Davidson, P. R., & Parker, K. C. (2001). Eye movement desensitization and reprocessing (EMDR): a meta-analysis.
- Fife, S. T., Whiting, J. B., Bradford, K., & Davis, S. (2014). The therapeutic pyramid: A common factors synthesis of techniques, alliance, and way of being. *Journal of Marital & Family Therapy, 40*(1), 20–33.
- Foa, E. B., Keane, T. M., Friedman, M. J., & Cohen, J. A. (Eds.). (2008). *Effective treatments for PTSD: Practice guidelines from the International Society for Traumatic Stress Studies*. New York, NY: Guilford Press.
- Forbes, D., Creamer, M., Bisson, J. I., Cohen, J. A., Crow, B. E., Foa, E. B., . . . Ursano, R. J. (2010). A guide to guidelines for the treatment of PTSD and related conditions. *Journal of Traumatic Stress, 23*(5), 537–552.
- Gallo, F. P. (1996). Reflections on active ingredients in efficient treatments of PTSD, Part 2. *Traumatology, 2*(2), 9–14.
- Gentry, JE (2016). *Forward-facing trauma therapy: Healing the moral wound*. Compassion Unlimited: Sarasota, FL.
- Grand, D. (2013). *Brainspotting: The revolutionary new therapy for rapid and effective change*. Sounds True.
- Grand, D. (2009). *Brainspotting Phase One Training Manual*
- Hartman, D. (2010). Integration of Hypnotic and Systematic Desensitization Techniques in the Treatment of Phobias: A Case Report. *Journal of Heart Centered Therapies, 13*(1), 17.
- Herman, J. (1992). *Trauma & recovery*. New York, NY: Basic Books.
- Kip, K. E., Elk, C. A., Sullivan, K. L., Kadel, R., Lengacher, C. A., Long, C. J., ... & Girling, S. A. (2012). Brief Treatment of Symptoms of Post-Traumatic Stress Disorder (PTSD) by Use of Accelerated Resolution Therapy (ART®). *Behavioral Sciences, 2*(2), 115-134.
- Lenferink, L. I., van Denderen, M. Y., de Keijser, J., Wessel, I., & Boelen, P. A. (2017). Prolonged grief and post-traumatic stress among relatives of missing persons and homicidally bereaved individuals: A comparative study. *Journal of affective disorders, 209*, 1-2.
- Levine, P. A. (1997). *Waking the tiger: Healing trauma: The innate capacity to transform overwhelming experiences* (Vol. 17). North Atlantic Books.
- Lynn, S. J., & Cardeña, E. (2007). Hypnosis and the treatment of posttraumatic conditions: An evidence-based approach. *International Journal of Clinical and Experimental Hypnosis, 55*, 167–188.
- McGuire, T. M., Lee, C. W., & Drummond, P. D. (2014). Potential of eye movement

desensitization and reprocessing therapy in the treatment of post-traumatic stress disorder. *Psychology Research and Behavior Management*, 7, 273+

- Management of Post-Traumatic Stress Working Group. (2010). *VA/DoD clinical practice guideline: Management of post-traumatic stress guideline summary*. Washington, DC: Veterans Health Administration, Department of Defense.
- Markus, W., de Weert, A., van Oene, G. H., Becker, E. S., & DeJong, C. A. (2015). A multi-site randomized study to compare the effects of Eye Movement Desensitization and Reprocessing (EMDR) added to TAU versus TAU to reduce craving and drinking behavior in alcohol dependent outpatients: study protocol. *BMC Psychiatry*, 15, 51. Retrieved from <http://go.galegroup.com.ezproxy.mesalibrary.org/ps/i.do?>
- Mijatovic, A., La Scaleia, B., Mercuri, N., Lacquaniti, F., & Zago, M. (2014). Familiar trajectories facilitate the interpretation of physical forces when intercepting a moving target. *Experimental Brain Research*, 232(12).
- Mitchell, A. M., & Terhorst, L. (2017). PTSD symptoms in survivors bereaved by the suicide of a significant other. *Journal of the American Psychiatric Nurses Association*, 23(1), 61-65.
- Najavits, L. (2002). *Seeking safety*. New York, NY: Guilford Press.
- National Association of Cognitive-Behavioral Therapists. (2014). *CBT: What is cognitive-behavioral therapy?* Retrieved from <http://nacbt.org/whatiscbt.aspx>
- Nickerson, A., Liddell, B. J., Maccallum, F., Steel, Z., Silove, D., & Bryant, R. A. (2014). Posttraumatic stress disorder and prolonged grief in refugees exposed to trauma and loss. *BMC psychiatry*, 14(1), 106.
- Novo, N. P., Landin-Romero, R., Guardiola-Wanden-Berghe, R., Moreno-Alcázar, A., Valiente-Gómez, A., Lupo, W., ... & Amann, B. L. (2016). 25 years of Eye Movement Desensitization and Reprocessing (EMDR): The EMDR therapy protocol, hypotheses of its mechanism of action and a systematic review of its efficacy in the treatment of post-traumatic stress disorder. *Revista de psiquiatria y salud mental*.
- Ogden, P., Minton, K., & Pain, C. (2006). *Trauma and the body: A sensorimotor approach to psychotherapy*. WW Norton & Company.
- Payne, P., Levine, P. A., & Crane-Godreau, M. A. (2015). Somatic experiencing: using interoception and proprioception as core elements of trauma therapy. *Frontiers in psychology*, 6, 93.
- Pole, N. (2007). The psychophysiology of posttraumatic stress disorder: A meta-analysis. *Psychological Bulletin*, 133(5), 724–746.
- Powers, M. B., Halpern, J. M., Ferenschak, M. P., Gillihan, S. J., & Foa, E. B. (2010). A meta-analytic review of prolonged exposure for posttraumatic stress disorder. *Clinical Psychology Review*, 30(6), 635–641.
- Rabinovich, M. (2016, Spring). Psychodynamic emotional regulation in view of Wolpe's desensitization model. *American Journal of Psychology*, 129(1).
- Ritchie, E. C. (2013). Complementary and alternative medicine for PTSD. *Psychiatric Annals*, 43(1), 36-37.

- Rosner, R., Pfoh, G., Kotoučová, M., &Hagl, M. (2014). Efficacy of an outpatient treatment for prolonged grief disorder: A randomized controlled clinical trial. *Journal of Affective Disorders*, 167, 56-63.
- Schnyder, U., &Cloitre, M. (Eds.). (2015). *Evidence based treatments for trauma-related psychological disorders: A practical guide for clinicians*. Springer.
- Shapiro, F., & Forrest, M. S. (2016). *EMDR: The breakthrough therapy for overcoming anxiety, stress, and trauma*. Basic Books.
- Shapiro, F. E. (2002). *EMDR as an integrative psychotherapy approach: Experts of diverse orientations explore the paradigm prism*. American Psychological Association.
- Shear, M. K. (2015). Complicated grief treatment (CGT) for prolonged grief disorder. In *Evidence based treatments for trauma-related psychological disorders* (pp. 299-314). Springer International Publishing.
- Van der Kolk, BA (2015). *The body keeps the score: Brain, mind, and body in the healing of trauma*. Penguin Books,
- van der Kolk, B. A., Stone, L., West, J., Rhodes, A., Emerson, D., Suvak, M., & Spinazzola, J. (2014). Original Research Yoga as an Adjunctive Treatment for Posttraumatic Stress Disorder: A Randomized Controlled Trial. *J Clin Psychiatry*, 75(6), e559-e565.
- Worden, J. W. (2014). Theoretical perspectives on loss and grief. *Death, Dying, and Bereavement: Contemporary Perspectives, Institutions, and Practices*, 91-104.
- Worden, J. W. (2008). *Grief counseling and grief therapy: A handbook for the mental health practitioner*. Springer Publishing Company.

Stage 4: Post Traumatic Growth & Resilience

- Calhoun, L. G., &Tedeschi, R. G. (2001). Posttraumatic growth. *Corsini Encyclopedia of Psychology*.
- Calhoun, L. G., &Tedeschi, R. G. (2014). *Handbook of posttraumatic growth: Research and practice*. Routledge.
- Elliott, T. R., Hsiao, Y. Y., Kimbrel, N. A., Meyer, E. C., DeBeer, B. B., Gulliver, S. B., ... &Morissette, S. B. (2015). Resilience, traumatic brain injury, depression, and posttraumatic stress among Iraq/Afghanistan war veterans. *Rehabilitation psychology*, 60(3), 263.
- Gentry, JE (2016). Forward-facing trauma therapy: Healing the moral wound. Compassion Unlimited: Sarasota, FL.
- Ghafouri, S. F., Ghanbari, S., Fallahzadeh, H., &Shokri, O. (2016). The relation between marital adjustment and posttraumatic growth in infertile couples: the mediatory role of religious coping strategies. *Journal of Reproduction and Infertility*, 17(4), 221+
- Gunst, D. C. M., Kaatsch, P., &Goldbeck, L. (2016). Seeing the good in the bad: which factors are associated with posttraumatic growth in long-term survivors of adolescent cancer? *Supportive Care in Cancer*, 24(11).
- Hartman, D., &Zimberoff, D. (2007). Posttraumatic growth and thriving with heart-centered therapies. *Journal of Heart Centered Therapies*, 10(1).

- Horn, S. R., Charney, D. S., & Feder, A. (2016). Understanding resilience: New approaches for preventing and treating PTSD. *Experimental Neurology*, 284, 119-132.
- Joseph, S. (2013). *What doesn't kill us: The new psychology of posttraumatic growth*. Basic Books.
- Mazor, Y., Gelkopf, M., Mueser, K. T., & Roe, D. (2016). Posttraumatic Growth in Psychosis. *Frontiers in Psychiatry*.
- Mordeno, I. G., Nalipay, M. J. N., Alfonso, M. K. S., & Cue, M. P. (2016). Examining the Latent Structure of Posttraumatic Growth Between Male and Female Survivors in the Immediate Aftermath of a Flash Flood Disaster. *Current Psychology*, 35(4), 587+
- Moran, S., Burker, E. J., & Schmidt, J. (2013). Posttraumatic growth and posttraumatic stress disorder in veterans. *The Journal of Rehabilitation*, 79(2), 34+.
- Rodriguez-Rey, R., Alonso-Tapia, J., Kassam-Adams, N., & Garrido-Hernansaiz, H. (2016). The factor structure of the Posttraumatic Growth Inventory in parents of critically ill children. *Psicothema*, 28(4), 495+.
- Shakespeare-Finch, J., & Lurie-Beck, J. (2014). A meta-analytic clarification of the relationship between posttraumatic growth and symptoms of posttraumatic distress disorder. *Journal of Anxiety Disorders*, 28(2), 223-229.
- Tedeschi, R. G., Cann, A., Taku, K., Senol-Durak, E., & Calhoun, L. G. (2017). The Posttraumatic Growth Inventory: A Revision Integrating Existential and Spiritual Change. *Journal of Traumatic Stress*, 30(1), 11+ Retrieved from <http://go.galegroup.com.ezproxy.mesalibrary.org/ps/i.do?>
- Weems, C. F., & Graham, R. A. (2014). Resilience and trajectories of posttraumatic stress among youth exposed to disaster. *Journal of child and adolescent psychopharmacology*, 24(1), 2-8.

Support Material

- 1) Assessment Instruments
- 2) Research Articles
- 3) Therapeutic Activities
- 4) Clinical Texts & Handbooks
- 5) Practice Wisdom